



POWER EGG2.0 Ver.2.5

Initial Manual (English version)

Introduction

This document explains about the browser setup and login that are used in POWER EGG for POWER EGG users.

In addition, this document is the only one manual in English.

About Notation

Notation	Description
*	Indicates as a required field.
 MEMO	Refers to the reference information.
	Refers to the supplement of the field.

Index

- 1.Client Initial Setup1
 -  Internet Explorer Setup..... 1

- 2.Login5
 - Important Notices Related to the Use of POWER EGG..... 5
 - 2.1 POWER EGG Startup 6
 -  Log in to POWER EGG 6


1. Client Initial Setup

When using POWER EGG by Internet Explorer, you need to set up the Web browser. However, in the case of FireFox, the browser setup is not necessary.


MEMO	About the correspondence browser, in the case of Windows OS: you need to install Internet Explorer 6 SP2 or higher/7/8/9/10 (only for Desktop UI) or FireFox17, and in the case of Mac OS: only FireFox 17 is necessary. In addition, the correspondence OSs are Windows XP, Vista, 7, 8, Mac OS X (10.4 or higher).
-------------	---

Internet Explorer Setup

- Step.1: Start Internet Explorer.
- Step.2: On the **Tools** menu, click **Internet Options**.
- Step.3: On the **Internet Options**, click **Security**.
- Step.4: Choose the **Trusted sites** then click **Sites** button.



- Step.5: In the **Trusted sites** dialog box, enter the URL to access to POWER EGG, and then click **Add** button.




MEMO

About the URL setting and “Require server verification (https:) for all sites in this zone” checkbox checking, confirm with the system administrator.
 In addition, in the URL field, enter a server name or an IP address. If the port number is assigned, then also enter the port number.
 For example, if the login URL of POWER EGG is “http://pesvr:7777/pe4j/index.jsp”, then enter “http://pesvr:7777”. (“pesvr” is the server name, “7777” is the port number.)

Step.6: Click **Close** button in the **Trusted sites** dialog box.


Step.7: Confirm whether the “Enable Protected Mode (requires restarting Internet Explorer)” is OFF (unchecked) or not. In case of ON (checked), remove the check.




MEMO

The above option is not included in Internet Explorer 6 and Windows XP.

Step.8: Click **Custom level...** button in the **Internet Options** dialog box.



Step.9: Perform the following settings in the **Security Settings – Trusted Sites Zone** dialog box, and then click **OK** button.



Setup field	Setup value
ActiveX controls and plug-ins	“Enable”
Automatic prompting for ActiveX controls	“Disable”
Initialize and script ActiveX controls not marked as safe for scripting	“Enable”
Script ActiveX controls marked safe for scripting	“Enable”

Setup field	Setup value
Download signed ActiveX controls	“Prompt” or “Enable”
Download unsigned ActiveX controls	“Prompt” or “Enable”
Allow websites to open windows without address or status bar *1	“Enable”(recommend)
Allow script-initiated windows without size or position constrains *1	“Enable”(recommend)
Allow Programmatic clipboard access	“Enable”
Use Pop-up Blocker	“Disable”
Automatic prompting for file downloads *2	“Enable”

* Use the browser default value for the remaining fields.

* 1: The above option is not included in Internet Explorer 6.

* 2: The above option is not included in Internet Explorer 9 or higher.

Step.10: In the **Internet Options**, click **OK** button to complete the setup.

MEMO	<p>In addition to the settings above, in the case of using a proxy server, perform the exception setup for not to use POWER EGG site as a proxy server.</p> <p>About the necessity of the exception setup of the proxy server, ask the system administrator.</p>
-------------	--

2. Login

This chapter explains about the login method.

Important Notices Related to the Use of POWER EGG

1. Do not log in by the same user at the same time.
POWER EGG is based on “one employee - one user ID” design. If logging in and operating by the same user at the same time, the data may be collapsed.
2. Do not perform the screen transition by using buttons other than the upper part buttons in POWER EGG screen. In case of using Back button, advance buttons or history display, etc. of the browser to perform the screen transition, those operations may not be performed normally.
3. Do not start and operate some POWER EGGs at the same time by starting many tabs in the same window. If performing that operation, the data may be collapsed.
4. About the keyword search:
Keyword search is not based on forward/backward search method. Enter the keyword which is a full word. There is a possibility of no results if searching for a keyword which does not have any meaning.
5. About the attached file search:
You may not be able to search for the value after the registration from the system environment. (It may be possible to be searched from the next day)
In addition, the searchable file format depends on the system environment.
However, the searching of attached files may not be possible if there is no permission from the system administrator.
6. About the displaying of message “...in half-size X characters”:
Half-size character is a half-size alphanumeric character. In the case of characters other than half-size alphanumeric characters, 1 character equals to 3-4 half-size characters.

2.1 POWER EGG Startup

Log in to POWER EGG

Step.1: Start the browser.

 About the correspondence browser, refer to “1. Client Initial Setup”.

Step.2: Enter the POWER EGG URL into **Address** field of the browser. About the URL, ask the system administrator.

Step.3: The POWER EGG login screen is displayed. Enter the user ID and login password.



Step.4: Click  button. After the login, if the Corporate Navi screen is displayed, then click  button.

NaviView screen will be displayed.





Enterprise Management Portal
POWER EGG



東京都中央区築地 6-19-20 ニチレイ東銀座ビル 〒104-0045
TEL:03-5551-0321 FAX : 03-5551-0329
URL : <http://www.d-circle.com>